



NOVEMBER 2023

**RESIDENTIAL
LIVING
FURNITURE**

Washington State Correctional Industries takes pride in our high quality products and the process by which we produce our Residential Living furniture. Our furniture not only looks good, but is comprised of separate components designed to work together and create the right space for each individual room — giving you more choices than ever!

PRODUCT OVERVIEW

For a residential look with rugged construction, Correctional Industries builds a composite product that includes: laminate tops for a solid, cleanable, mar-resistant writing surface; solid wood drawer fronts for impact-resistance, warmth and style; and exterior doors, sides and backs constructed from multi-layer plywood that is resistant to cracking, shrinking and warping.

ENVIRONMENTALLY CONSCIOUS

Correctional Industries makes every attempt to source all wood products regionally and strives to use recycled materials whenever possible. Correctional Industries designs product for optimal yield. Fall-off is always used in the manufacturing of other product when allowed.

The plywood we purchase meets all NAUF (No Added Urea Formaldehyde) and Ultra Low Emitting Formaldehyde standards. The particleboard is made with 100% recycled wood with NAUF. We only use lacquer that meets all current Environmental Protection Agency regulations for VOC (Volatile Organic Chemicals) emissions for wood finishing. Our aqueous stains meet the federal Hazardous Air Pollutants rule for wood finishes, meet all existing VOC regulations and are free of lead and chromate hazards.

COMPONENT REPAIRABILITY

All of our furniture is designed for easy component repairability, utilizing a 32mm construction system with steel-to-steel fasteners allowing replacement of a top, side panel or back panel quickly, easily and cost-effectively.

ADDED VALUE

Correctional Industries is not a "traditional" manufacturer in any sense of the term. Many Washington offenders gain work experience and training as they produce quality, competitively priced products, which translates into enormous benefits for taxpayers, the offenders who work and learn in a correctional industries program, and our customers. We strive to provide our customers with long-lasting, safe, effective and efficient products utilizing current technology and the best practices available.





CI MISSION STATEMENT

Correctional Industries is committed to maintain and expand offender work training programs which develop marketable job skills, instill and promote positive work ethics, and reduce the tax burden of corrections.

BARRIER-FREE FURNITURE

We manufacture furniture in the spirit of ADA legislation for barrier-free disabled access. We add higher toe kicks on our dressers and wardrobes, set the legs back on our desks and make the drawer pedestal moveable. We add drawer pulls to our drawer fronts (in addition to integral pulls), and reposition the pulls, mirrors and other options to be accessible from a sitting or standing position. Plus, all of our barrier-free furniture is designed to be easily converted to a standard room application as necessary.



- 4 ROOM SOLUTIONS**
- 6 BEDS**
 - Bed Decks
 - Accessories
 - Mattresses
- 9 DESKS**
 - Desk Hutches
- 11 PEDESTALS**
- 12 DESK CHAIRS**
- 14 LOUNGE SEATING**
- 15 WARDROBES**
- 17 DRESSERS**
 - Stacking Drawers
- 18 BOOKCASES**
- 18 NIGHTSTANDS**
- 19 BARRIER-FREE**

Room Solution #1



Model#	Description	Page
RLBD3674M	Standard bed	6
RLDK13674	Bed deck	6
DBWS3674	Innerspring mattress	8
RLDS42FM	Pedestal desk with optional keyboard	9

Model#	Description	Page
RLHU42M	Desk hutch	10
RS-CAMCUM	Crown top desk chair with upholstered seat	13
RLWD36ST2M	Wardrobe with two stack drawers	15
RLDR3M	3 Drawer dresser	17

Room Solution #2



Model#	Description	Page
RLBD3674M	Standard bed (x2)	6
RLDK13674	Bed deck	6
RLSRT74M	Safety rail (x2)	7
DBWS3674	Innerspring mattress	8

Model#	Description	Page
RLDS42FM	Pedestal desk with optional keyboard	9
RLHU42M	Desk hutch	10
RS-DELS2UM	Upholstered two-position chair	12
RLWD42SD4M	Split wardrobe with four drawers	16
RLDR1M	Stacking drawers (x3)	17

Room Solution #3



Model#	Description	Page
RLBD3674M	Standard bed	6
RLDK336	Bed deck	6
DBWS3674	Innerspring mattress	8
RLDS42M	Desk shell with optional keyboard	10

Model#	Description	Page
RLPRFM	Mobile pedestal	11
RS-DELSAO	Sled base desk chair with angled back	12
RLDR1M	Stacking drawer (x4)	17
RLBC3615M	Bookcase	18
RLNS2DM	Two drawer nightstand	18

Room Solution #4



Model#	Description	Page
RLBD3674M	Standard bed (x2)	6
RLSRT80M	Safety rail (x2)	7
RLLTM	Ladder	7
DBWS3680	Innerspring mattress (x2)	8

Model#	Description	Page
RLDS42FM	Pedestal desk with optional keyboard (x2)	9
RLHU42M	Desk hutch (x2)	10
RS-CAMFM	Flat top desk chair (x2)	13
RLDR5M	Five drawer dresser	17
RLBC3615M	Bookcase	18

Standard Beds



Bed shown with bed deck.
Bed decks sold separately.

Standard Features

- 38" high ladder style head and footboard
- 1-3/4" x 2-1/2" bed posts are constructed of solid hardwood
- Drilled holes in the top of each headboard leg and bottom of each footboard leg for lofting and bunking
- Solid hardwood side and end rails
- All edges are hand-sanded to 3/16" radius
- Choice of natural, medium or dark stain

Options

- Barrier-free available

Model#	Description	Wood Type	Overall Dimensions
RLBD36740	Standard bed, uses 36" x 74" mattress	Oak	39.5"W x 77.5"L
RLBD36780	Standard bed, uses 36" x 78" mattress	Oak	39.5"W x 81.5"L
RLBD36800	Standard bed, uses 36" x 80" mattress	Oak	39.5"W x 83.5"L
RLBD38740	Standard bed, uses 38" x 74" mattress	Oak	41.5"W x 77.5"L
RLBD38800	Standard bed, uses 38" x 80" mattress	Oak	41.5"W x 83.5"L
RLBD3674M	Standard bed, uses 36" x 74" mattress	Maple	39.5"W x 77.5"L
RLBD3678M	Standard bed, uses 36" x 78" mattress	Maple	39.5"W x 81.5"L
RLBD3680M	Standard bed, uses 36" x 80" mattress	Maple	39.5"W x 83.5"L
RLBD3874M	Standard bed, uses 38" x 74" mattress	Maple	41.5"W x 77.5"L
RLBD3880M	Standard bed, uses 38" x 80" mattress	Maple	41.5"W x 83.5"L



Standard beds shown bunked.
Bed decks and safety rails
sold separately.

Standard Features for Plywood Decks

- Constructed of 3/4" plywood
- Twelve 4-3/8" diameter holes for ventilation
- All exposed edges are hand-sanded to 1/8" radius

Model#	Description	Overall Dimensions
RLDK3674	Bed deck, for 36" x 74" mattress	36.25"W x 73.25"L
RLDK3678	Bed deck, for 36" x 78" mattress	36.25"W x 77.25"L
RLDK3680	Bed deck, for 36" x 80" mattresses	36.25"W x 79.25"L
RLDK3874	Bed deck, for 38" x 74" mattress	38.25"W x 73.25"L
RLDK3880	Bed deck, for 38" x 78"/80" mattresses	38.25"W x 79.25"L



Standard bed shown lofted.
Bed deck and safety rails
sold separately.

Note: Bunks are NOT certified for use by those under 12 years of age.

Safety Rails



Standard Features

- Constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Bolts to bed posts
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Dimensions
RLSR74O	74" Safety rail	Oak	74"L x 9"H
RLSR78O	78" Safety rail	Oak	78"L x 9"H
RLSR80O	80" Safety rail	Oak	80"L x 9"H
RLSR74M	74" Safety rail	Maple	74"L x 9"H
RLSR78M	78" Safety rail	Maple	78"L x 9"H
RLSR80M	80" Safety rail	Maple	80"L x 9"H

*ApplePly available upon request.

Ladders



Standard Features

- Constructed of solid wood
- Bottom of wood rails are radiused to conform to any imperfections in floor
- Clips attach ladder to side rails
- Choice of natural, medium or dark stain

Model#	Description	Wood Type	Dimensions
RLLDO	Ladder	Oak	17"W x 66.75"H
RLLDM	Ladder	Maple	17"W x 66.75"H

Innerspring Mattresses



Standard Features

- Bonnell innerspring unit
- Top and bottom covered with a bonded polyester insulator padding 3/8" thick
- Innerspring unit is wrapped with 1" thick polyurethane foam topper, IDL rating of 38
- Covered with 210 Denier, Nylon fabric with modacrylic/polyester flame barrier laminate backing
- Mattress in compliance with RCW 70.76; does not contain Polybrominated Diphenyl Ethers
- Mattress exceeds current fire standard 1633 of the Code of Federal Regulations

Model#	Description	Overall Dimensions
DBWS3674	36" x 74" Innerspring mattress	36"W x 74"L x 7"H
DBWS3678	36" x 78" Innerspring mattress	36"W x 78"L x 7"H
DBWS3680	36" x 80" Innerspring mattress	36"W x 80"L x 7"H
DBWS3874	38" x 74" Innerspring mattress	38"W x 74"L x 7"H
DBWS3880	38" x 80" Innerspring mattress	38"W x 80"L x 7"H

Replacement Mattress Covers



Standard Features

- Constructed of 210 Denier, Nylon fabric, navy color
- Modacrylic/polyester flame barrier laminate backing
- Smooth top, envelope style construction with interior side, end, and vertical corner seams
- Heavy duty zipper covered with a sewn flap
- Antimicrobial, bacteria resistant and anti-fungal
- Choice of 6" or 7" height*

Model#	Description	Dimensions*
MC3674	36" x 74" Mattress cover	36"W x 74"L
MC3676	36" x 76" Mattress cover	36"W x 76"L
MC3678	36" x 78" Mattress cover	36"W x 78"L
MC3680	36" x 80" Mattress cover	36"W x 80"L
MC3874	38" x 74" Mattress cover	38"W x 74"L
MC3880	38" x 80" Mattress cover	38"W x 80"L

Pedestal Desks



▲ Pedestal desk (box/box/file) shown with optional keyboard tray.

Standard Features

- Open leg design made of solid hardwood
- Top constructed of 1" particleboard with high pressure laminate
- 3-Drawer pedestal exterior sides and back constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Options

- Keyboard tray (KT42 or KT48)

Model#	Description	Wood Type*	Overall Dimensions
RLDS42BO	42" Pedestal desk, box/box/box	Oak	42"W x 24"D x 30"H
RLDS48BO	48" Pedestal desk, box/box/box	Oak	48"W x 24"D x 30"H
RLDS42FO	42" Pedestal desk, box/box/file	Oak	42"W x 24"D x 30"H
RLDS48FO	48" Pedestal desk, box/box/file	Oak	48"W x 24"D x 30"H
RLDS42BM	42" Pedestal desk, box/box/box	Maple	42"W x 24"D x 30"H
RLDS48BM	48" Pedestal desk, box/box/box	Maple	48"W x 24"D x 30"H
RLDS42FM	42" Pedestal desk, box/box/file	Maple	42"W x 24"D x 30"H
RLDS48FM	48" Pedestal desk, box/box/file	Maple	48"W x 24"D x 30"H

*ApplePly available upon request.

Desk Shells



▲ Desk shell shown with optional keyboard tray.

Standard Features

- Open leg design made of solid hardwood
- Top constructed of 1" particleboard with high pressure laminate
- Exterior back constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Options

- Keyboard tray (KT42 or KT48)
- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLDS420	42" Desk shell	Oak	42"W x 24"D x 30"H
RLDS480	48" Desk shell	Oak	48"W x 24"D x 30"H
RLDS42M	42" Desk shell	Maple	42"W x 24"D x 30"H
RLDS48M	48" Desk shell	Maple	48"W x 24"D x 30"H

*ApplePly available upon request.

Desk Hutch



Standard Features

- Exterior sides, back, top, valance and shelves constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Attaches to desk
- Choice of natural, medium or dark stain

Options

- Fabric covered tack board (TB42 or TB48); Standard panel fabrics apply
- Hutch light (LT36)

Model#	Description	Wood Type*	Overall Dimensions
RLHU420	42" Desk hutch	Oak	42"W x 10"D x 24"H
RLHU480	48" Desk hutch	Oak	48"W x 10"D x 24"H
RLHU42M	42" Desk hutch	Maple	42"W x 10"D x 24"H
RLHU48M	48" Desk hutch	Maple	48"W x 10"D x 24"H

*ApplePly available upon request.

Pedestals



▲ Pedestal with two box drawers and one file drawer.

Standard Features

- Exterior sides, back and top constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Choice of natural, medium or dark stain

Options

- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLPDBO	Pedestal, box/box/box	Oak	15.75"W x 22.25"D x 28.75"H
RLPDFO	Pedestal, box/box/file	Oak	15.75"W x 22.25"D x 28.75"H
RLPDBM	Pedestal, box/box/box	Maple	15.75"W x 22.25"D x 28.75"H
RLPDFM	Pedestal, box/box/file	Maple	15.75"W x 22.25"D x 28.75"H

*ApplePly available upon request.

Mobile Pedestals



▲ Mobile pedestal with two box drawers and one file drawer.

Standard Features

- Exterior sides, back and top constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Four twin wheel hooded casters (75 lb. load), two locking
- Choice of natural, medium or dark stain

Options

- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLPRBO	Mobile pedestal, box/box/box	Oak	15.75"W x 22.25"D x 28.75"H
RLPRFO	Mobile pedestal, box/box/file	Oak	15.75"W x 22.25"D x 28.75"H
RLPRBM	Mobile pedestal, box/box/box	Maple	15.75"W x 22.25"D x 28.75"H
RLPRFM	Mobile pedestal, box/box/file	Maple	15.75"W x 22.25"D x 28.75"H

*ApplePly available upon request.

Delta Two-Position Chair



▲ Two-position chair.

Standard Features

- Constructed from solid Oak or hardwood Maple
- Steam bent parts
- Padded and upholstered seat and back (RS-DELS2UO, RS-DELS2UM only)
- Seat is 16-1/2" deep and 17-1/2" high
- Solid wood corner blocks
- Bolt and slug reinforcement
- Two-position sled base is a dual-function chair for sitting upright or leaning back
- Choice of natural, medium or dark stain
- Ultra-durable fabric choices available (RS-DELS2UO, RS-DELS2UM only)

Model#	Description	Wood Type	Overall Dimensions
RS-DELS2O	Two-position chair	Oak	18.75"W x 18.75"D x 31.75"H
RS-DELS2M	Two-position chair	Maple	18.75"W x 18.75"D x 31.75"H



▲ Two-position chair with upholstered seat and back.

Model#	Description	Wood Type	Overall Dimensions
RS-DELS2UO	Upholstered two-position chair	Oak	18.75"W x 18.75"D x 31.75"H
RS-DELS2UM	Upholstered two-position chair	Maple	18.75"W x 18.75"D x 31.75"H

Cambridge Chair



▲ Crown top desk chair.



▲ Crown top desk chair with upholstered seat.

Standard Features

- Constructed from solid Oak or hardwood Maple
- Steam bent parts
- Padded and upholstered seat (RS-CAMCUO, RS-CAMFUO, RS-CAMCUM, RS-CAMFUM only)
- Seat is 15" deep and 17-1/2" high
- Double-doweled joints and solid wood corner supporting braces
- Rubber cushion chrome plated glides with nylon top cap
- Choice of natural, medium or dark stain
- Ultra-durable fabric choices available (RS-CAMCUO, RS-CAMFUO, RS-CAMCUM, RS-CAMFUM only)

Model#	Description	Wood Type	Overall Dimensions
RS-CAMCO	Crown top	Oak	18"W x 22"D x 35"H
RS-CAMFO	Flat top	Oak	18"W x 22"D x 35"H
RS-CAMCM	Crown top	Maple	18"W x 22"D x 35"H
RS-CAMFM	Flat top	Maple	18"W x 22"D x 35"H

Model#	Description	Wood Type	Overall Dimensions
RS-CAMCUO	Crown top with upholstered seat	Oak	18"W x 22"D x 35"H
RS-CAMFUO	Flat top with upholstered seat	Oak	18"W x 22"D x 35"H
RS-CAMCUM	Crown top with upholstered seat	Maple	18"W x 22"D x 35"H
RS-CAMFUM	Flat top with upholstered seat	Maple	18"W x 22"D x 35"H

Pinnacle Lounge Seating



▲ Lounge chair with exposed wood armcaps.



▲ Settee



▲ Sofa



▲ Lounge chair.

Standard Features

- Fully upholstered with curved arm design
- Durable hardwood and plywood construction
- Firm spring-supported seat
- Inner-spring back cushions
- High density foam provides firm comfortable support
- Seat cushions secured with cords that disengage for ease of maintenance
- Seat is 25-1/2" deep and 18" high
- Field replaceable components
- Exposed wood armcaps (without armcaps: LS-PIN)
- Solid wood feet
- Choice of natural, medium or dark stain
- Ultra-durable fabric choices available

Model#	Description	Wood Type	Overall Dimensions
LS-PINW10	Lounge chair with wood armcaps	Oak	34"W x 34"D x 34"H
LS-PINW20	Lounge settee with wood armcaps	Oak	57"W x 34"D x 34"H
LS-PINW30	Lounge sofa with wood armcaps	Oak	80"W x 34"D x 34"H
LS-PINW1M	Lounge chair with wood armcaps	Maple	34"W x 34"D x 34"H
LS-PINW2M	Lounge settee with wood arm caps	Maple	57"W x 34"D x 34"H
LS-PINW3M	Lounge sofa with wood armcaps	Maple	80"W x 34"D x 34"H

Model#	Description	Wood Type	Overall Dimensions
LS-PIN1	Lounge chair	Oak	34"W x 34"D x 34"H
LS-PIN2	Lounge settee	Oak	57"W x 34"D x 34"H
LS-PIN3	Lounge sofa	Oak	80"W x 34"D x 34"H

Full Wardrobes



▲ Full wardrobe with two drawers shown with optional mirror.



▲ Full wardrobe with one drawer.

Standard Features

- Doors, exterior sides, back, top, and adjustable shelf constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Door hinges are institutional five-knuckle hinges with heavy duty 50 lb. magnetic catches to secure doors
- Fixed coat rod made from 1-5/16" solid hemlock
- Metal coat hook mounted inside door
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Two levelers ensure proper balance
- Choice of natural, medium or dark stain

Options

- Mirror (MR)
- Hasp for locking (HS)
- Drawer divider (DV)
- Towel bar (TB)
- Lock strike plate (SP)

Model#	Description	Wood Type*	Overall Dimensions
RLWD24O	24" Wardrobe (single door)	Oak	24"W x 25"D x 72"H
RLWD24D1O	24" Wardrobe, 1 drawer (single door)	Oak	24"W x 25"D x 72"H
RLWD24D2O	24" Wardrobe, 2 drawer (single door)	Oak	24"W x 25"D x 72"H
RLWD30O	30" Wardrobe	Oak	30"W x 25"D x 72"H
RLWD30D1O	30" Wardrobe, 1 drawer	Oak	30"W x 25"D x 72"H
RLWD30D2O	30" Wardrobe, 2 drawer	Oak	30"W x 25"D x 72"H
RLWD36O	36" Wardrobe	Oak	36"W x 25"D x 72"H
RLWD36D1O	36" Wardrobe, 1 drawer	Oak	36"W x 25"D x 72"H
RLWD36D2O	36" Wardrobe, 2 drawer	Oak	36"W x 25"D x 72"H
RLWD24M	24" Wardrobe (single door)	Maple	24"W x 25"D x 72"H
RLWD24D1M	24" Wardrobe, 1 drawer (single door)	Maple	24"W x 25"D x 72"H
RLWD24D2M	24" Wardrobe, 2 drawer (single door)	Maple	24"W x 25"D x 72"H
RLWD30M	30" Wardrobe	Maple	30"W x 25"D x 72"H
RLWD30D1M	30" Wardrobe, 1 drawer	Maple	30"W x 25"D x 72"H
RLWD30D2M	30" Wardrobe, 2 drawer	Maple	30"W x 25"D x 72"H
RLWD36M	36" Wardrobe	Maple	36"W x 25"D x 72"H
RLWD36D1M	36" Wardrobe, 1 drawer	Maple	36"W x 25"D x 72"H
RLWD36D2M	36" Wardrobe, 2 drawer	Maple	36"W x 25"D x 72"H

*ApplePly available upon request.

Split Wardrobes



▲ Split wardrobe with four drawers shown with optional mirror.



▲ Split wardrobe with two stack drawers shown with optional hasp for locking.

Standard Features

- Doors, exterior sides, back, top, adjustable shelves and partition constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Door hinges are institutional five-knuckle hinges with heavy duty 50 lb. magnetic catches to secure doors
- Hanger bars made from 1-5/16" solid hemlock
- Metal coat hook mounted inside door
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Two levelers ensure proper balance
- Choice of natural, medium or dark stain

Options

- Mirror (MR)
- Hasp for locking (HS)
- Drawer divider (DV)
- Towel bar (TB)
- Lock strike plate (SP)
- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLWD36ST20	36" Wardrobe, 2 stack drawers	Oak	36"W x 25"D x 72"H
RLWD420	42" Wardrobe	Oak	42"W x 25"D x 72"H
RLWD42ST20	42" Wardrobe, 2 stack drawers	Oak	42"W x 25"D x 72"H
RLWD42SD20	42" Wardrobe, split, 2 drawer	Oak	42"W x 25"D x 72"H
RLWD42SD40	42" Wardrobe, split, 4 drawer	Oak	42"W x 25"D x 72"H
RLWD48ST20	48" Wardrobe, 2 stack drawers	Oak	48"W x 25"D x 72"H
RLWD48SD20	48" Wardrobe, split, 2 drawer	Oak	48"W x 25"D x 72"H
RLWD48SD40	48" Wardrobe, split, 4 drawer	Oak	48"W x 25"D x 72"H
RLWD36ST2M	36" Wardrobe, 2 stack drawers	Maple	36"W x 25"D x 72"H
RLWD42M	42" Wardrobe	Maple	42"W x 25"D x 72"H
RLWD42SD2M	42" Wardrobe, split, 2 drawer	Maple	42"W x 25"D x 72"H
RLWD42ST2M	42" Wardrobe, 2 stack drawers	Maple	42"W x 25"D x 72"H
RLWD42SD4M	42" Wardrobe, split, 4 drawer	Maple	42"W x 25"D x 72"H
RLWD48SD2M	48" Wardrobe, split, 2 drawer	Maple	48"W x 25"D x 72"H
RLWD48ST2M	48" Wardrobe, 2 stack drawers	Maple	48"W x 25"D x 72"H
RLWD48SD4M	48" Wardrobe, split, 4 drawer	Maple	48"W x 25"D x 72"H

*ApplePly available upon request.

Dressers



▲ Five drawer dresser.

Standard Features

- Exterior sides and back constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Options

- Drawer divider (DV)
- Barrier-free available**

Model#	Description	Wood Type*	Overall Dimensions
RLDR30	Dresser, 3 drawer**	Oak	30"W x 24"D x 30.0"H
RLDR40	Dresser, 4 drawer	Oak	30"W x 24"D x 38.5"H
RLDR50	Dresser, 5 drawer	Oak	30"W x 24"D x 47.0"H
PLDR60	Dresser, 6 drawer	Oak	30"W x 24"D x 55.5"H
RLDR3M	Dresser, 3 drawer**	Maple	30"W x 24"D x 30.0"H
RLDR4M	Dresser, 4 drawer	Maple	30"W x 24"D x 38.5"H
RLDR5M	Dresser, 5 drawer	Maple	30"W x 24"D x 47.0"H
RLDR6M	Dresser, 6 drawer	Maple	30"W x 24"D x 55.5"H

*ApplePly available upon request.

Stacking Drawers



Standard Features

- Exterior sides constructed from 3/4" solid wood panels with cut-out handles
- Top constructed of 3/4" 9-layer plywood
- Top has a cove cut-out finger pull on inside to assist with movement
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer front constructed with 3/4" solid wood panel with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Choice of natural, medium or dark stain

Options

- Drawer divider (DV)
- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLDR10	Stacking drawer	Oak	26"W x 24"D x 10"H
RLDR1M	Stacking drawer	Maple	26"W x 24"D x 10"H

*ApplePly available upon request.

Bookcases



▲ Two shelf bookcase.

Standard Features

- Exterior sides, back and fixed shelves constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgbanding, hand-sanded with a 1/8" radius on all exposed edges
- One fixed shelf with access space
- Includes holes for cord access in back
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLBC24120	24" Bookcase	Oak	24"W x 12"D x 30"H
RLBC30120	30" Bookcase	Oak	30"W x 12"D x 30"H
RLBC30150	30" Bookcase, extra deep	Oak	30"W x 15"D x 30"H
RLBC36120	36" Bookcase	Oak	36"W x 12"D x 30"H
RLBC36150	36" Bookcase, extra deep	Oak	36"W x 15"D x 30"H
RLBC2412M	24" Bookcase	Maple	24"W x 12"D x 30"H
RLBC3012M	30" Bookcase	Maple	30"W x 12"D x 30"H
RLBC3015M	30" Bookcase, extra deep	Maple	30"W x 15"D x 30"H
RLBC3612M	36" Bookcase	Maple	36"W x 12"D x 30"H
RLBC3615M	36" Bookcase, extra deep	Maple	36"W x 15"D x 30"H

*ApplePly available upon request.

Nightstands



▲ One drawer nightstand with adjustable shelf.

Standard Features

- Exterior sides, back and adjustable shelf constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgbanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer front constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Options

- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLNS1DO	Nightstand, 1 drawer	Oak	19"W x 20"D x 24"H
RLNS1DSO	Nightstand, 1 drawer, 1 adjustable shelf	Oak	19"W x 20"D x 24"H
RLNS2DO	Nightstand, 2 drawer	Oak	19"W x 20"D x 24"H
RLNS3DO	Nightstand, 3 drawer	Oak	19"W x 20"D x 24"H
RLNS1DM	Nightstand, 1 drawer	Maple	19"W x 20"D x 24"H
RLNS1DSM	Nightstand, 1 drawer, 1 adjustable shelf	Maple	19"W x 20"D x 24"H
RLNS2DM	Nightstand, 2 drawer	Maple	19"W x 20"D x 24"H
RLNS3DM	Nightstand, 3 drawer	Maple	19"W x 20"D x 24"H

*ApplePly available upon request.

Standard Barrier-Free Beds

Standard Features

- 38" high ladder style head and footboard
- 1-3/4" x 2-1/2" bed posts are constructed of solid hardwood
- Drilled holes in the top of each headboard leg and bottom of each footboard leg for lofting and bunking
- Solid hardwood side and end rails
- All edges are hand-sanded to 3/16" radius
- Choice of natural, medium or dark stain



Model#	Description	Wood Type	Overall Dimensions
RLBD36740-B	Standard bed, uses 36" x 74" mattress	Oak	39.75"W x 77.5"L
RLBD36780-B	Standard bed, uses 36" x 78" mattress	Oak	39.75"W x 81.5"L
RLBD36800-B	Standard bed, uses 36" x 80" mattress	Oak	39.75"W x 83.5"L
RLBD38740-B	Standard bed, uses 38" x 74" mattress	Oak	41.75"W x 77.5"L
RLBD38800-B	Standard bed, uses 38" x 80" mattress	Oak	41.75"W x 83.5"L
RLBD3674M-B	Standard bed, uses 36" x 74" mattress	Maple	39.75"W x 77.5"L
RLBD3678M-B	Standard bed, uses 36" x 78" mattress	Maple	39.75"W x 81.5"L
RLBD3680M-B	Standard bed, uses 36" x 80" mattress	Maple	39.75"W x 83.5"L
RLBD3874M-B	Standard bed, uses 38" x 74" mattress	Maple	41.75"W x 77.5"L
RLBD3880M-B	Standard bed, uses 38" x 80" mattress	Maple	41.75"W x 83.5"L

Standard Features for Plywood Decks

- Constructed of 3/4" plywood
- Twelve cut holes for ventilation
- All exposed edges are hand-sanded to 1/8" radius

Model#	Description	Overall Dimensions
RLDK13674	1-piece bed deck, for 36" x 74" mattress	36"W x 74"L
RLDK13680	1-piece bed deck, for 36" x 78"/80" mattresses	36"W x 80"L
RLDK13874	1-piece bed deck, for 38" x 74" mattress	38"W x 74"L
RLDK13880	1-piece bed deck, for 38" x 78"/80" mattresses	38"W x 80"L

Barrier-Free Desk Shells**Standard Features**

- Recessed open leg design made of solid hardwood
- Elevated top constructed of 1" particleboard with high pressure laminate
- Exterior back constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLDSA42O	42" Barrier-free desk shell	Oak	42"W x 24"D x 32"H
RLDSA48O	48" Barrier-free desk shell	Oak	48"W x 24"D x 32"H
RLDSA42M	42" Barrier-free desk shell	Maple	42"W x 24"D x 32"H
RLDSA48M	48" Barrier-free desk shell	Maple	48"W x 24"D x 32"H

*ApplePly available upon request.

Barrier-Free Pedestals



▲ Barrier-free pedestal with two box drawers and one file drawer.

Standard Features

- Exterior sides, back and top constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLPDABO	Barrier-free pedestal, box/box/box	Oak	15.75"W x 22.25"D x 28.75"H
RLPDAFO	Barrier-free pedestal, box/box/file	Oak	15.75"W x 22.25"D x 28.75"H
RLPDABM	Barrier-free pedestal, box/box/box	Maple	15.75"W x 22.25"D x 28.75"H
RLPDAFM	Barrier-free pedestal, box/box/file	Maple	15.75"W x 22.25"D x 28.75"H

*ApplePly available upon request.

Barrier-Free Mobile Pedestals



▲ Barrier-free mobile pedestal with two box drawers and one file drawer.

Standard Features

- Exterior sides, back and top constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Four twin wheel hooded casters (75 lb. load), two locking
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLPRABO	Barrier-free mobile pedestal, box/box/box	Oak	15.75"W x 22.25"D x 28.75"H
RLPRAFO	Barrier-free mobile pedestal, box/box/file	Oak	15.75"W x 22.25"D x 28.75"H
RLPRABM	Barrier-free mobile pedestal, box/box/box	Maple	15.75"W x 22.25"D x 28.75"H
RLPRAFM	Barrier-free mobile pedestal, box/box/file	Maple	15.75"W x 22.25"D x 28.75"H

*ApplePly available upon request.

Barrier-Free Split Wardrobe



▲ Barrier-free wardrobe with three stack drawers shown with optional hasp for locking.

Standard Features

- Doors, exterior sides, back, top, adjustable shelf and partition constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Door hinges are institutional five-knuckle hinges with heavy duty 50 lb. magnetic catches to secure doors
- Hanger bars made from 1-5/16" solid hemlock
- Metal coat hook mounted inside door
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Two levelers ensure proper balance
- Choice of natural, medium or dark stain

Options

- Mirror (MR)
- Hasp for locking (HS)
- Drawer divider (DV)
- Towel bar (TB)
- Lock strike plate (SP)

Model#	Description	Wood Type*	Overall Dimensions
RLWDA36ST30	Barrier-free wardrobe	Oak	36"W x 25"D x 72"H
RLWDA36ST3M	Barrier-free wardrobe	Maple	36"W x 25"D x 72"H

*ApplePly available upon request.

Barrier-Free Dresser



▲ Three drawer barrier-free dresser.

Standard Features

- Exterior sides and back constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Options

- Drawer divider (DV)

Model#	Description	Wood Type*	Overall Dimensions
RLDRA3O	Barrier-free dresser	Oak	30"W x 24"D x 30.0"H
RLDRA3M	Barrier-free dresser	Maple	30"W x 24"D x 30.0"H

*ApplePly available upon request.

Barrier-Free Stacking Drawer



Standard Features

- Exterior sides constructed from 3/4" solid wood panels with cut-out handles
- Top constructed of 3/4" 9-layer plywood
- Top has a cove cut-out finger pull on inside to assist with movement
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer front constructed with 3/4" solid wood panel with both hand and integral pull
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Choice of natural, medium or dark stain

Options

- Drawer divider (DV)

Model#	Description	Wood Type*	Overall Dimensions
RLDRA1O	Barrier-free stacking drawer	Oak	26"W x 24"D x 10"H
RLDRA1M	Barrier-free stacking drawer	Maple	26"W x 24"D x 10"H

*ApplePly available upon request.

Barrier-Free Nightstands



▲ One drawer barrier-free dresser with adjustable shelf.

Standard Features

- Exterior sides, back and shelf (when included) constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLNSA1DO	Barrier-free nightstand, 1 drawer	Oak	19"W x 20"D x 24"H
RLNSA1DSO	Barrier-free nightstand, 1 drawer, 1 shelf	Oak	19"W x 20"D x 24"H
RLNSA2DO	Barrier-free nightstand, 2 drawer	Oak	19"W x 20"D x 24"H
RLNSA3DO	Barrier-free nightstand, 3 drawer	Oak	19"W x 20"D x 24"H
RLNSA1DM	Barrier-free nightstand, 1 drawer	Maple	19"W x 20"D x 24"H
RLNSA1DSM	Barrier-free nightstand, 1 drawer, 1 shelf	Maple	19"W x 20"D x 24"H
RLNSA2DM	Barrier-free nightstand, 2 drawer	Maple	19"W x 20"D x 24"H
RLNSA3DM	Barrier-free nightstand, 3 drawer	Maple	19"W x 20"D x 24"H

*ApplePly available upon request.



WASHINGTON STATE
CORRECTIONAL INDUSTRIES

Department of Corrections
PO Box 41115
Olympia, Washington 98504

700-CA004 (R 11/2023)

